



**Qualifying Convection Ovens**

**Updated 12/15/2008**

Company Name (Website)	Model Name	Model Number	Size	Config.	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)
Alto-Shaam (www.alto-shaam.com)	Platinum Series	ASC-4G	Full	Single	Gas	42%	21,000
	Platinum Series	2-ASC-4G	Full	Double	Gas	42%	42,000
American Range (www.americanrange.com)	Majestic	M-1	Full	Single	Gas	40%	15,473
	Majestic	M-2	Full	Double	Gas	40%	30,946
	Majestic	MSD-1	Full	Single	Gas	41%	14,548
	Majestic	MSD-2	Full	Double	Gas	41%	29,096
Bakers Pride (www.bakerspride.com)	Cyclone	CO11-G1	Full	Single	Gas	43%	10,800
	Cyclone	CO11-G2	Full	Double	Gas	43%	21,600
	Cyclone	GDCO-G1	Full	Single	Gas	43%	10,800
	Cyclone	GDCO-G2	Full	Double	Gas	43%	21,600
Blodgett (www.blodgett.com)	-	DFG100	Full	Single	Gas	41%	N/A
	-	DFG100 Double	Full	Double	Gas	41%	N/A
	-	DFG100 Xcel	Full	Single	Gas	41%	17,500
	-	DFG100 Xcel Double	Full	Double	Gas	41%	35,000
	-	DFG200	Full	Single	Gas	44%	12,300
	-	DFG200 Double	Full	Double	Gas	44%	24,600
	-	SHO-G	Full	Single	Gas	45%	14,500
	-	SHO-G Double	Full	Double	Gas	45%	29,000
	-	Zephaire-G	Full	Single	Gas	45%	14,000
	-	Zephaire-G Double	Full	Double	Gas	45%	28,000
Doyon Inc. (www.doyon.qc.ca)	Jet Air Ovens	JA**G	Full	Single	Gas	43%	21,500
Duke Manufacturing (www.dukemfg.com)	613 Series	613G2V	Full	Double	Gas	54%	19,920
	613 Series	613G1V	Full	Single	Gas	54%	9,960
	E Series	E101-G	Full	Single	Gas	54%	N/A
	E Series	E102-G	Full	Double	Gas	54%	N/A
Garland (www.garland-group.com)	Master 200	MCO-GS-10-S MCO-GD-10-S	Full	Single	Gas	43%	15,600
	Master 200	MCO-GS-20-S MCO-GD-20-S	Full	Double	Gas	43%	31,200
	Master 450	MCO-GS-10 MCO-GD-10	Full	Single	Gas	42%	16,818
	Master 450	MCO-GS-20 MCO-GD-20	Full	Double	Gas	42%	33,636
	Moisture Plus	MP-GS-10-D	Full	Single	Gas	44%	17,387
	Moisture Plus	MP-GS-20-D	Full	Double	Gas	44%	17,387

Note: Data based on applying ASTM F-1496  
N/A = Data Not Available

\*Rebate amount is calculated per oven cavity.  
Double-stacked ovens qualify for a double rebate.



Updated 12/15/2008

Company Name (Website)	Model Name	Model Number	Size	Config.	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)
<b>Hobart</b> (www.hobartcorp.com)	-	HGC501 HGC504	Full	Single	Gas	46.3%	11,900
	-	HGC502	Full	Double	Gas	46.0%	23,800
<b>Imperial</b> (www.imperialrange.com)	Turbo-Flow	ICV-1	Full	Single	Gas	40.0%	N/A
	Turbo-Flow	ICV-2	Full	Double	Gas	40.0%	N/A
	Turbo-Flow	ICVD-1	Full	Single	Gas	40.0%	12,200
	Turbo-Flow	ICVD-2	Full	Double	Gas	40.0%	24,400
	Turbo-Flow	ICVG-1	Full	Single	Gas	40.1%	11,340
	Turbo-Flow	ICVG-2	Full	Double	Gas	40.1%	22,680
<b>Lang</b> (www.langworld.com)	-	GCCO-AP GCOF-AP1	Full	Single	Gas	41.0%	14,200
	-	2GCCO-AP GCOF-AP2	Full	Double	Gas	41.0%	28,400
	-	OCGFS_1 GCSF-ES1	Full	Single	Gas	42.1%	9,438
	-	OCGFS_2 GCSF-ES2	Full	Double	Gas	42.0%	18,876
<b>Moffat</b> (www.moffat.com)	-	G32MS	Full	Single	Gas	46.7%	12,300
<b>Montague</b> (www.montaguecompany.com)	Vectaire	HX-63A	Full	Single	Gas	43.9%	12,900
	Vectaire	HX2-63	Full	Double	Gas	44.0%	25,800
<b>Royal Range</b> (www.royalranges.com)	-	RCOS-1	Full	Single	Gas	46.2%	13,064
	-	RCOS-2	Full	Double	Gas	46.0%	26,128
<b>Southbend</b> (www.southbendnc.com)	Bronze Series	BG-12	Full	Single	Gas	47.2%	13,427
	Bronze Series	BG-22	Full	Double	Gas	47.0%	26,854
	Marathoner Gold	GS-15	Full	Single	Gas	46.2%	13,990
	Marathoner Gold	GS-25	Full	Double	Gas	46.0%	27,980
	Silver Star	SLGS-12	Full	Single	Gas	45.9%	13,949
	Silver Star	SLGS-22	Full	Double	Gas	46.0%	27,898
<b>Vulcan</b> (www.vulcanhart.com)	-	SG44D	Full	Double	Gas	48.0%	22,720
	-	SG4D	Full	Single	Gas	47.8%	11,360
	-	VC44G	Full	Double	Gas	46.0%	23,800
	-	VC4G	Full	Single	Gas	46.3%	11,900
<b>Wolf</b> (www.wolfrange.com)	-	WKGD1	Full	Single	Gas	46.3%	11,900
	-	WKGD2	Full	Double	Gas	46.0%	23,800

Note: Data based on applying ASTM F-1496  
N/A = Data Not Available

\*Rebate amount is calculated per oven cavity.  
Double-stacked ovens qualify for a double rebate.



Updated 12/15/2008

Company Name (Website)	Model Name	Model Number	Size	Config.	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)
<b>Belshaw</b> (www.belshaw.com)	-	BX4	Half	Single	Electric	80.0%	1.20
<b>Blodgett</b> (www.blodgett.com)	-	Xcel Half-Size	Half	Single	Electric	74.3%	0.63
<b>Duke Manufacturing</b> (www.dukemfg.com)	613 Series	613E1V	Full	Single	Electric	71.4%	1.90
	613 Series	613E2V	Full	Double	Electric	71.0%	3.80
<b>Hobart</b> (www.hobartcorp.com)	-	HEC501	Full	Single	Electric	71.0%	1.90
	-	HEC504	Full	Single	Electric	N/A	N/A
	-	HEC502	Full	Double	Electric	71.0%	3.80
<b>Lang</b> (www.langworld.com)	ChefSeries	OCEFS_1 ECSF-ES1	Full	Single	Electric	76.2%	1.60
	ChefSeries	OCEFS_2 ECSF-ES2	Full	Double	Electric	76.0%	N/A
<b>Moffat</b> (www.moffat.com)	-	E32MS	Full	Single	Electric	79.8%	0.80
	-	E32MS/2	Full	Double	Electric	79.8%	
<b>Revent</b> (www.revent.com)	DoSys	7801	Half	Single	Electric	80.0%	0.60
<b>Vulcan</b> (www.vulcanhart.com)	-	VC4E	Full	Single	Electric	71.0%	1.90
	-	VC44E	Full	Double	Electric	71.0%	3.80
<b>Wolf</b> (www.wolfrange.com)	-	WKED1	Full	Single	Electric	71.0%	1.90
	-	WKED2	Full	Double	Electric	N/A	3.80

Note: Data based on applying ASTM F-1496  
N/A = Data Not Available

\*Rebate amount is calculated per oven cavity.  
Double-stacked ovens qualify for a double rebate.