

**Updated 9/16/09**

Qualifying gas models must have a heavy-load cooking-energy efficiency  $\geq 38\%$  per ASTM F1275. Qualifying electric models must have a heavy-load cooking-energy efficiency  $\geq 70\%$  per ASTM F1275.

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Brand Name	Model Name	Model Number (all sizes)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate* (Btu/h/ft <sup>2</sup> )	Rebate (per unit)
AccuTemp (www.accutemp.net)	AccuTemp	Accu-Steam	GG	Gas	47.2	2,524	\$125
	AccuTemp	Accu-Steam	PGF	Gas	47.0	2,562	
Garland (www.garland-group.com)	Garland	-	CG	Gas	40.7	2,329	
Imperial (www.imperialrange.com)	Imperial	-	ITG	Gas	38.6	3,159	
	Imperial	-	ISAE	Gas	39.6	3,035	
Jade (www.jaderange.com)	Jade	Supreme	JGT	Gas	40.2	2,588	
Wells (www.wellsbloomfield.com)	Wells	-	WG	Gas	39.5	3,196	
Vulcan (www.vulcanhart.com)	Vulcan	Rapid Recovery	RRG	Gas	40.5	2,518	
Wolf (www.wolfrange.com)	Wolf	Therm-O-Ray	IRG	Gas	42.0	2,483	

Note: Data based on applying ASTM F1275

N/A = Data Not Available

\* idle rate and production capacity normalized per square foot of cooking surface

**Updated 9/16/09**

Qualifying gas models must have a heavy-load cooking-energy efficiency  $\geq 38\%$  per ASTM F1275. Qualifying electric models must have a heavy-load cooking-energy efficiency  $\geq 70\%$  per ASTM F1275.

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Brand Name	Model Name	Model Number (all sizes)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (W/ft <sup>2</sup> )	Rebate (per unit)
AccuTemp (www.accutemp.net)	AccuTemp	Accu-Steam	EGD	Electric	72.7	337	\$300
	AccuTemp	Accu-Steam	EGF	Electric	72.7	337	
Imperial (www.imperialrange.com)	Imperial	-	ITG-**-E	Electric	77.0	210	
Keating (www.keatingofchicago.com)	Keating	Miraclean	Miraclean	Electric	70.0	298	
Vulcan (www.vulcanhart.com)	Vulcan	Rapid Recovery	RRE	Electric	76.0	415	
	Vulcan	Heavy Duty	HEG	Electric	76.7	332	
Wells (www.wellsbloomfield.com)	Wells	-	G**	Electric	75.2	242	
Wolf (www.wolfrange.com)	Wolf	Heavy Duty	WEG	Electric	76.7	332	

Note: Data based on applying ASTM F1275

N/A = Data Not Available

\* idle rate and production capacity normalized per square foot of cooking surface