



**focus on energy**<sup>SM</sup>  
*The power is within you.*

**Qualifying Griddles**

**Updated 12/15/08**

Company Name (Website)	Brand Name	Model Name	Model Number (all sizes)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate* (Btu/h/ft <sup>2</sup> )
<b>AccuTemp</b> (www.accutemp.net)	AccuTemp	Accu-Steam	GG	Gas	47.2	2,524
<b>Garland</b> (www.garland-group.com)	Garland	-	CG	Gas	40.7	2,329
<b>Imperial</b> (www.imperialrange.com)	Imperial	-	ITG	Gas	38.6	3,159
	Imperial	-	ISAE	Gas	39.6	3,035
<b>Jade</b> (www.jaderange.com)	Jade	Supreme	JGT	Gas	40.2	2,588
<b>Keating</b> (www.keatingofchicago.com)	Keating	Miraclean	Miraclean	Gas	44.2	2,400
<b>Wells</b> (www.wellsbloomfield.com)	Wells	-	WG	Gas	39.5	3,196
<b>Vulcan</b> (www.vulcanhart.com)	Vulcan	-	9**RE	Gas	40.5	2,518
<b>Wolf</b> (www.wolfrange.com)	Wolf	Therm-O-Ray	IRG	Gas	42.0	2,483

**Note: Data based on applying ASTM F1275**

**N/A = Data Not Available**

\* idle rate and production capacity normalized per square foot of cooking surface

**Updated 12/15/08**

Company Name (Website)	Brand Name	Model Name	Model Number (all sizes)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (W/ft <sup>2</sup> )
<b>AccuTemp</b> (www.accutemp.net)	AccuTemp	Accu-Steam	EG	Electric	72.7	337
<b>Imperial</b> (www.imperialrange.com)	Imperial	-	ITG-**E	Electric	77.0	210
<b>Keating</b> (www.keatingofchicago.com)	Keating	Miraclean	Miraclean	Electric	70.0	298
<b>Vulcan</b> (www.vulcanhart.com)	Vulcan	-	9**RRE	Electric	76.0	415
<b>Wells</b> (www.wellsbloomfield.com)	Wells	-	G**	Electric	75.2	242

**Note: Data based on applying ASTM F1275**

**N/A = Data Not Available**

\* idle rate and production capacity normalized per square foot of cooking surface