

It is a participating contractor's responsibility to ensure that the equipment installed is qualified to receive a Cash-Back Reward. Focus on Energy cannot and will not provide an incentive for non-qualified equipment for any reason.

If a model you plan to sell is not on one of the pre-qualified lists, but meets eligibility criteria, please pre-qualify it by completing this form and faxing it to: **EFFICIENT HEATING & COOLING at 608.249.0339**. You should include as much support documentation (technical specification sheets, manufacturer information sheets, etc) to ensure the equipment's qualification. This will avoid promising a customer a reward for equipment which may not be eligible to receive a reward.

Contractor making request:	
Contact name:	Contact phone: (      )

### FURNACE INFORMATION

<b>Brand:</b>	
<b>Model number:</b>	
<b>Efficiency:</b> % AFUE	<b>Size:</b> Btu/hr
<b>Has a variable speed motor?</b>	Yes / No (circle one)
<b>Has at least 2 stages of gas firing?</b>	Yes / No (circle one)
<b>Additional information attached?</b>	Yes / No (circle one)

### BOILER INFORMATION

<b>Brand:</b>	
<b>Model number:</b>	
<b>Efficiency:</b> % AFUE	<b>Capacity:</b>
<b>Sealed combustion chamber?</b>	Yes / No (circle one)
<b>Additional information attached?</b>	Yes / No (circle one)

### ENERGY RECOVERY AIR-TO-AIR VENTILATOR (ERV) INFORMATION

This reporting is required *only* if the equipment is *not* already certified by ARI standard 1060-2001. ARI certified equipment: [www.aridirectory.org/ari/erv.php](http://www.aridirectory.org/ari/erv.php). If equipment is not ARI certified, please provide the following information:

<b>Manufacturer:</b>	
<b>Product line / Series*:</b>	
<b>Sizes Included:</b>	

\* Focus on Energy qualifies ERVs by product line unless otherwise indicated. Each individual model number need not be approved.

<b>Energy transfer type (wheel, plate exchanger, etc.):</b>	
<b>Name of independent testing agency:</b>	<b>Date testing was performed:</b>

Please provide the following performance characteristics as determined by independent testing per ASHRAE standard 84-1991 (may be submitted separately as an attachment):

- Nominal airflow (SCFM)
- Pressure drop (inches WC)
- Leakage ratings at ASHRAE-specified pressure differentials:
  - Exhaust Air Transfer Ratio (%)      ○ Outdoor Air Correction Factor      ○ Purge flow (if applicable)
- Thermal effectiveness ratings at zero pressure differential in both heating and cooling conditions at ASHRAE-specified airflow fractions:
  - Sensible (%)      ○ Latent (%)      ○ Total (%)